CLAIMS

What Is Claimed Is:

15

20

1. A shock absorbing saddle for use in horse-back riding, said saddle comprising:

a frame assembly;

a padded seat secured to said frame assembly;

said frame assembly having a shock absorbing system;

said shock absorbing system comprises means for absorbing shock; and

means for securing said frame assembly to a horse.

A saddle as recited in claim 1, further comprising:
 a fabric-based cover; and
 means for securing said cover to said padded seat.

- 3. A saddle as recited in claim 1, wherein said means for absorbing shock comprises: a plurality of shock absorbing springs.
- 4. A saddle as recited in claim 1, wherein said means for absorbing shock comprises: a plurality of shock absorbing air pistons.
- 5. A saddle as recited in claim 1, wherein said frame assembly comprises: an upper frame comprising a plurality of rods operatively joined together;

a lower frame comprising a plurality of rods operatively joined together, said means for absorbing shock extending between said lower frame and said upper frame joining said frames together.

- A saddle as recited in claim 5, wherein said means for absorbing shock comprises:a plurality of shock absorbing springs.
 - 7. A saddle as recited in claim 5, wherein said means for absorbing shock comprises: a plurality of shock absorbing air pistons.
 - 8. A saddle as recited in claim 1, wherein said frame assembly comprises: an upper plate;

10

15

20

a lower plate, said means for absorbing shock extending between said lower plate and said upper plate joining said plates together.

- 9. A saddle as recited in claim 8, wherein said means for absorbing shock comprises: a plurality of shock absorbing air pistons.
- 10. A saddle as recited in claim 1, wherein said padded seat comprises a cushion.
- 11. A saddle as recited in claim 1, wherein said frame assembly further comprises foam padding.

- 12. A saddle as recited in claim 1, wherein said padded seat fits over said frame assembly.
- 13. A saddle as recited in claim 1, wherein said frame assembly and padded seat comprise contours that adapt to the contours of a horse back.